

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



No. 14.

NORTH CAROLINA COMMISSION FOR CONTROLLING CROP PESTS

## Certificate of Examination of Nursery Stock

To Whom it May Concern:

Raleigh, N. C., Sept. 15, 1900

*This is to certify that on July 21, 1900, the nursery grounds of Harlan P. Kelsey, Kawana, at N. C., were inspected; that the growing stock was apparently free from any pests designated as dangerous by this Commission, and was otherwise healthy. This Certificate expires September 1, 1901, and applies only to stock grown in the aforesaid nurseries.*

Approved for the Commission:

FRANKLIN SHERMAN,

[SEAL]

S. L. PATTERSON, Chairman

Botanist and Entomologist

*Sixteenth Year, 1900 - 1901*

# KELSEY'S HARDY AMERICAN PLANTS and Carolina Mountain Flowers

WHOLESALE

All Correspondence must be addressed to Boston C  
Long Distance Telephone  
Cable Address—KELMONT, BOSTON

## *Highlands Nursery*

4,000 FEET ELEVATION

## HARLAN P. KELSEY

PROPRIETOR HIGHLANDS NURSERY, KAWANA, N. C.  
From which place shipments are made

Tremont Building

BOSTON, MASS.

# IMPORTANT

Read Before Ordering,

**My Hardy Stock** is shipped direct from Highlands Nursery, in the western North Carolina mountains, from **Cranberry, N. C., freight station**. The freight rate to New York, Boston and Philadelphia is \$1.14 per 100 pounds. Special low express rates.

I claim superior packing, my export shipments reaching the most remote countries in perfect condition. *Packing charged for at cost.*

**Foreign Remittances** should be sent by International Postal Money Order, drawn on Boston, Mass., Post Office, or by New York or Boston Exchange. An American dollar is equal to a little more than four (4) English shillings, four (4) German marks, or (5) francs.

**Claims** must be made immediately on receipt of goods. *All shipments travel at consignee's risk.* Shipping begins about September 15 and lasts till December, and in spring from March 1 to May 15.

**Growing Rhododendrons, Azaleas, Kalmias, Hemlocks and plants of this class** in wholesale quantities will continue to be my specialty. All the leading Parks, Cemeteries and Nurseries of America as well as those abroad, have been satisfactorily supplied in the past with many hundreds of thousands of plants from my **Highlands Nursery**.

**Correspondence** with all Parks, Cemeteries, Nurseries and Botanical Gardens in America or abroad especially solicited.

## COLLECTED PLANTS

Nearly all plants offered in this Catalogue are heavy, nursery-grown, but can usually be supplied in strong collected stock, when desired.

My facilities are unapproached elsewhere for collecting the best stock at a low cost, and an experience of 15 years and well-trained collectors enable me to assure buyers that orders for "collected" plants will receive the same attention and care as though I intended planting the stock myself. As a rule, however, I do not recommend the extensive use of collected stock and cannot guarantee it in any instance.

Rhododendrons, Kalmias, Leuchthoe catesbaei, Galax aphalla, and other broad-leaved evergreen shrubs and ground-covering plants are collected by the carload for use in producing immediate effects by massing. This subject requires special correspondence.

## LANDSCAPE ARCHITECTURE.

Plans for planting and otherwise improving Parks, Cemeteries, or other public or private grounds carefully prepared, and contracts will be made for superintending entire construction and supplying all material.

## AS TO HARDINESS.

The location of **HIGHLANDS NURSERY**, at the summit of the Blue Ridge, in western North Carolina, 3,800 feet among the clouds, and under the shadow of the great Grandfather mountain (the highest peak in the Blue Ridge range) insures long, cool summers and cold winters, which are very favorable to the growth of these beautiful native ornamentals, producing a perfectly **hardy** stock—a most important point with northern planters. The thermometer often reaches an extreme of 10° to 15° below zero, and every few years will go as low as 20° or more below.

The Azaleas, Rhododendrons, and most of the ericaceous plants herein offered thrive best in rich, peaty soils and partially shaded situations. **A good soil can be made** by excavating 2 to 3 feet of the surface, and filling with equal parts of good leaf-mold or other decayed vegetable matter and surface loam, with one-tenth or more of sharp sand. Swamp muck or field sod may be used. Mulching (spent tan, moss, leaves, hay, etc.), is always useful, and is necessary where the ground is very dry. Lime, **in large quantities**, in any form is very damaging to Rhododendrons, Azaleas, and ericaceous plants in general. As a rule, give the plants a deep soil, with plenty of well-decayed vegetable food and good drainage, and the result will be satisfactory. **Always give Rhododendrons a northern exposure where possible.**

# HARDY AMERICAN ORNAMENTAL DECIDUOUS TREES.

S.—Seedlings. Col.—Collected plants. All other stock nursery-grown.

	Size	Per 10	100	1,000
ACER rubrum, Scarlet Maple . . . . .	6 to 12 in. . .	\$0 40	\$3 00	\$20 00
" " " " . . . . .	1 to 2 ft. . .	75	5 00	40 00
" " " " . . . . .	2 to 3 ft. . .	1 00	8 00	
" " " " . . . . .	3 to 4 ft. . .	1 50		
" saccharinum, Sugar Maple . . . . .	6 to 12 in. . .	35	2 00	
" " " " . . . . .	1 to 2 ft. . .	40	3 00	
" " " " . . . . .	2 to 3 ft. . .	75	5 00	
" " " " . . . . .	3 to 4 ft. . .	1 50		
" spicatum, Mountain Maple . . . . .	6 to 12 in. . .	40	3 00	
" " " " . . . . .	1 to 2 ft. . .	75	5 00	
" " " " . . . . .	2 to 4 ft. . .	1 50		
" " " " . . . . .	3 to 4 ft. . .	2 00		
" striatum, Striped Maple . . . . .	3 to 6 in. . .	25	1 50	
" " " " . . . . .	6 to 12 in. . .	40	3 00	20 00
" " " " . . . . .	1 to 2 ft. . .	50	5 00	
" " " " . . . . .	2 to 3 ft. . .	1 00	7 00	
" " " " . . . . .	3 to 4 ft. . .	1 50		
" " " " . . . . .	4 to 5 ft. . .	2 00		
ÆSCULUS flava, Buckeye . . . . .	6 to 12 in. . .	40		
" " " " . . . . .	1 to 2 ft. . .	60		
" " " " . . . . .	2 to 3 ft. . .	75		
AMELANCHIER botryapium, Showy Mespilus . . . . .	3 to 6 in. . .	50	3 00	20 00
" " " " . . . . .	6 to 12 in. . .	60	5 00	40 00
" " " " . . . . .	1 to 2 ft. . .	75	7 00	60 00
" " " " . . . . .	2 to 3 ft. . .	1 00	9 00	
" " " " . . . . .	3 to 4 ft. . .	1 50		
ASIMINA triloba, Papaw. S. . . . .	4 to 12 in. . .	50		
BETULA lenta, Sweet Birch . . . . .	6 to 12 in. . .	25	2 00	
" " " " . . . . .	1 to 2 ft. . .	40	3 00	
" " " " . . . . .	3 to 4 ft. . .	75	5 00	
" " " " . . . . .	4 to 6 ft. . .	1 25	10 00	
" " " " . . . . .	6 to 8 ft. . .	1 75		
" lutea, Yellow Birch . . . . .	1 to 2 ft. . .	40	3 00	20 00
" " " " . . . . .	3 to 4 ft. . .	75	5 00	
" " " " . . . . .	4 to 6 ft. . .	1 25	10 00	
" nigra, River Birch . . . . .	1 to 2 ft. . .	1 00	10 00	
" papyrifera, Paper Birch . . . . .	6 to 12 in. . .	75	5 00	35 00
" " " " . . . . .	1 to 2 ft. . .	1 00	8 00	60 00
" " " " . . . . .	2 to 3 ft. . .	1 50	12 00	
" " " " . . . . .	4 to 5 ft. . .	2 00	18 00	
CERCIS canadensis, Red Bud. S. . . . .		75	5 00	
CARPINUS caroliniana, Water Beech. S. 1 yr. . . . .	6 to 12 in. . .	40	3 00	15 00
" " " " S. . . . .	12 to 18 in. . .		4 00	12 50
CASTANEA americana. S. . . . .	6 to 12 in. . .	25	1 50	12 00
" pumila, Chinkapin . . . . .	2 to 3½ ft. . .	3 00		
CATALPA bignonioides . . . . .	2 to 4 ft. . .	35		
" " " " . . . . .	4 to 8 ft. . .	50	3 00	



DECIDUOUS TREES, continued.			Size	Per 10	100	1,000
<b>CELTIS occidentalis.</b>	S.		3 to 6 in.	\$0 50		
<b>CORNUS alternifolia,</b>	Swamp Dogwood		4 to 12 in.	40	\$2 00	
"	"	"	1 to 2 ft.	75	5 00	
"	"	"	2 to 3 ft.	1 00	8 00	
"	"	"	3 to 4 ft.	1 50		
"	"	"	6 to 8 ft.	2 00		
"	florida,	White Dogwood	6 to 12 in.	60	4 00	
"	"	"	1 to 2 ft.	1 00		
<b>DIOSPYRUS virginiana.</b>	1-yr.		4 to 12 in.	75	5 00	
<b>FRAXINUS americana,</b>	White Ash		4 to 6 ft.	75	5 00	
"	"	"	8 to 12 ft.	1 50		
"	sambucifolia,	Black Ash	1 to 2 ft.	1 00		
"	"	"	2 to 3 ft.	1 50		
"	viridis		1 to 2 ft.	75	5 00	
<b>FAGUS ferruginea,</b>	American Beech		4 to 12 in.	50	4 00	\$30 00
<b>GYMNOCLADUS canadensis,</b>	Kentucky Coffee Tree		2 to 4 ft.	1 00	8 00	
<b>HALESIA diptera.</b>	S. 1-yr.		3 to 9 in.	75		
"	"	S.	1 to 2 ft.	1 25		
"	tetraptera,	Snowdrop Tree	1 to 2 ft.	75	6 00	
"	"	"	2 to 3 ft.	1 50	10 00	
"	"	"	3 to 4 ft.	2 00		
"	"	"	6 to 8 ft.	3 50		
<b>ILEX monticola,</b>	Mountain Holly		3 to 6 in.	25	1 75	
"	"	"	6 to 12 in.	50	2 50	
"	"	"	1 to 2 ft.	75	5 00	
"	"	"	2 to 4 ft.	1 25		
"	"	"	4 to 6 ft.	2 00		
"	"	Extra-fine clumps.	6 to 8 ft.	3 50	30 00	
<b>LIQUIDAMBAR styraciflua,</b>	Sweet Gum		2 to 3 ft.	1 25		
"	"	"	3 to 4 ft.	1 50		
"	"	"	4 to 6 ft.	2 50		
<b>LIRIODENDRON tulipifera,</b>	Tulip Tree		6 to 12 in.	50	3 00	25 00
"	"	"	1 to 2 ft.	75	5 00	40 00
"	"	"	2 to 3 ft.	1 00		
<b>MAGNOLIA acuminata,</b>	Cucumber Tree		3 to 6 in.	40	2 00	
"	"	"	6 to 12 in.	60	4 00	35 00
"	"	"	1 to 2 ft.	75		
"	"	"	2 to 4 ft.	1 00		
"	"	"	4 to 6 ft.	1 50		
"	"	"	6 to 8 ft.	2 50		
"	fraseri.	S.	2 to 4 in.	30	2 00	
"	"	"	3 to 6 in.	50	4 00	
"	"	"	6 to 12 in.	1 00	7 00	
"	"	"	1 to 2 ft.	1 50		
"	"	"	2 to 3 ft.	2 00		
"	macrophylla.	S. 1-yr.		75	5 00	
"	umbrella.	S.	3 to 6 in.	35	2 00	15 00
"	"	"	6 to 12 in.	60	4 00	
"	"	"	1 to 2 ft.	1 00	8 00	
"	"	"	2 to 3 ft.	1 25		
"	"	"	3 to 4 ft.	2 00		
"	"	"	5 to 7 ft.	3 00		
<b>NEGUNDO aceroides,</b>	Ash-leaved Maple. S.		6 to 12 in.	50	3 50	
"	"	"	1 to 2 ft.	75	5 00	
"	"	"	2 to 3 ft.	1 25		

DECIDUOUS TREES, continued.		Size	Per 10	100	1,000
<b>OSTRYA virginica</b> , Ironwood		6 to 12 in.	\$0 75	\$5 00	\$45 00
"	"	1 to 2 ft.	1 25	10 00	80 00
"	"	2 to 3 ft.	2 00	15 00	
"	"	4 to 6 ft.	3 50		
<b>OXYDENDRUM arboreum</b> , Tree Andromeda		6 to 12 in.	75	5 00	
"	"	1 to 2 ft.	1 00	7 00	
"	"	2 to 3 ft.	1 50	12 50	
"	"	3 to 4 ft.	3 00		
<b>PLATANUS occidentalis</b> , Sycamore		2 to 4 ft.	75		
"	"	6 to 10 ft.	2 00		
"	"	10 to 15 ft.	3 00		
<b>POPULUS tremuloides</b> , Aspen		2 to 4 ft.	1 00		
"	"	4 to 6 ft.	1 50		
<b>PRUNUS pennsylvanicum</b> , Wild Red Cherry. A fine tree for producing quick shade and effect ;					
short-lived. Col.		12 to 18 in.	25	1 00	7 00
" <b>serotina</b> , Black Cherry. S.		3 to 6 in.	20	1 00	8 00
"	"	6 to 12 in.	30	2 00	18 00
"	"	S.	50	3 00	
"	"	2 to 3 ft.	75	4 00	
"	"	3 to 4 ft.	1 00	6 00	
"	"	4 to 6 ft.	1 50	10 00	
<b>PYRUS americana</b> , Mountain Ash. S.		6 to 12 in.	60	5 00	
"	"	6 to 12 in.	1 00	8 00	
"	"	1 to 2 ft.	1 50	12 00	
"	"	2 to 3 ft.	2 00		
<b>QUERCUS alba</b> , White Oak. S. 1-yr.		3 to 6 in.	65	4 00	
" <b>castanea</b> , Chestnut Oak. S.		3 to 9 in.	40	3 00	
"	"	1½ to 2½ ft.	1 25	10 00	
" <b>coccinea</b> , Scarlet Oak		3 to 6 in.	2 00	18 00	
" <b>rubra</b> , Red Oak. S.		3 to 6 in.	40	3 00	15 00
"	"	6 to 12 in.	75	5 00	35 00
"	"	1 to 2 ft.	1 00		
<b>RHAMNUS caroliniana</b> , Buckthorn. S. 1-yr.			20	1 50	10 00
"	"	6 to 12 in.	40	3 00	
"	"	1 to 2 ft.	75	5 00	35 00
<b>ROBINIA pseudo-acacia</b> , Yellow Locust		1 to 2 ft.	50		
"	"	2 to 3 ft.	75	5 00	
<b>SASSAFRAS officinale</b> , Sassafras		7 to 10 ft.	3 50		
<b>TAXODIUM distichum</b> , Southern Cypress		6 to 12 in.	75	5 00	
<b>TILIA americana</b> , Linden		3 to 6 in.	30	2 00	
"	"	6 to 12 in.	40	3 00	20 00
"	"	1 to 2 ft.	75	5 00	40 00
" <b>heterophylla</b>		1 to 2 ft.	1 50		
<b>ULMUS americana</b> , American Elm		4 to 12 in.	50	4 00	
"	"	1 to 2 ft.	75	5 00	
"	"	2 to 4 ft.	1 25	10 00	
" <b>fulva</b> , Slippery Elm		4 to 12 in.	1 00		
" <b>racemosa</b>		3 to 6 in.	1 00	7 00	

# DECIDUOUS SHRUBS.

	Size	Per 10	100	1,000
<b>ALNUS viridis</b> , Alpine Alder . . . . .	12 to 18 in. . .	\$2 00	\$12 50	
" " . . . . .	1½ to 2½ ft. . .	3 00	20 00	
" <i>incana</i> , Speckled Alder . . . . .	8 to 10 ft. . .	2 00		
" <i>serrulata</i> , River Alder. Col. . . . .	1 to 2 ft. . .	75	4 00	
<b>AMELANCHIER rotundifolia</b> . . . . .	1 to 2 ft. . .	75	5 00	
<b>AMORPHA fruticosa</b> . . . . .	1 to 2 ft. . .	75	4 00	
" " . . . . .	2 to 3 ft. . .	1 00	6 00	
" <i>herbacea</i> . . . . .	1 to 2 ft. . .	1 00		
" " . . . . .	2 to 3 ft. . .	1 50	7 00	
<b>ANDROMEDA ligustrina</b> . . . . .	6 to 12 in. . .	50	3 00	
" " . . . . .	1 to 2 ft. . .	75	5 00	
" <i>marianna</i> . . . . .	3 to 6 in. . .	1 00		
" " . . . . .	6 to 12 in. . .	1 50		
" " . . . . .	12 to 18 in. . .	1 75		
" " . . . . .	1 to 2 ft. . .	2 00		
<b>ARALIA spinosa</b> . . . . .	6 to 18 in. . .	1 00		
" " . . . . .	1½ to 3 ft. . .	1 50		

## AZALEAS.

The American Azaleas are among the choicest of all ornamentals, whether exotic or native, and were but rarely seen in cultivation before being disseminated by HIGHLANDS NURSERY. Large masses of "Great Flame-Colored Azalea," *calendulacea*, when seen in flower, present the most gorgeous effects, the shadings varying from deep crimson to a bright sulphur-yellow, and its complete hardiness is unquestionable. The foliage of *A. arborescens* is the finest of all the Azaleas, remaining a clear, shiny green throughout the summer, a characteristic not usual with this family. The large, white, sweet-scented flowers appear the last of all the Azaleas, and the numerous pink-tipped stamens protruding, give a most beautiful effect. *Azalea vaseyi* is one of the finest introductions of late years, the flowers appearing before the foliage in April in the greatest profusion, white to deep pink; attains a height of 12 to 15 feet. *A. nudiflora* (deep pink) and *A. viscosa* (white) are pretty, dwarfer varieties, very useful in the under shrubbery.

The only large and fine stock in the world of American Azaleas is now growing in the HIGHLANDS NURSERY, all heavy plants with balls and full of flower buds, excepting perhaps some of the smallest sizes.

	Size	Per 10	100	1,000
<b>AZALEA arborescens</b> . . . . .	3 to 6 in. . .	\$1 25	\$10 00	\$85 00
" " . . . . .	6 to 12 in. . .	2 00	15 00	125 00
" " . . . . .	12 to 18 in. . .	3 00	25 00	
" " <i>rosea</i> (bright pink) . . . . .	1 to 2 ft. . .			
	clumps, \$3.50 each .			
" <i>calendulacea</i> , Great Flame-colored Azalea . .	3 to 6 in. . .	75	4 00	30 00
" " . . . . .	6 to 12 in. . .	1 00	6 00	45 00
" " . . . . .	12 to 18 in. . .	1 50	12 00	85 00
" " . . . . .	18 to 24 in. . .	2 00	18 00	
" " clumps . . . . .	2 to 3 ft. . .	4 00		

Some heavy clumps, 3 to 5 feet high, heavily budded, many colors, \$1.50 to \$10 each.

<b>AZALEA nudiflora</b> , Pinxter Flower. . . . .	4 to 8 in. . .	1 00	8 00	
" " . . . . .	2 to 3 ft. . .	4 00		
" <i>vaseyi</i> . . . . .	3 to 6 in. . .	75	5 00	40 00
" " . . . . .	6 to 12 in. . .	1 00	6 00	45 00
" " . . . . .	12 to 18 in. . .	1 25	10 00	



DECIDUOUS SHRUBS, continued.		Size	Per 10	100	1,000
<b>AZALEA</b>	<b>vaseyi</b> . . . . .	18 to 24 in. . .	\$1 75	\$15 00	
"	" Extra fine and heavy . . . . .	2 to 3 ft. . .	4 00	35 00	\$225 00
"	" . . . . .	3 to 4 ft. . .	6 00	50 00	425 00
"	<b>viscosa</b> , Early White Azalea . . . . .	3 to 6 in. . .	50	3 00	20 00
"	" " " " " . . . . .	6 to 12 in. . .	75	4 00	30 00
"	" " " " " . . . . .	12 to 18 in. . .	1 25	8 00	60 00
"	" " " " " . . . . .	18 to 24 in. . .	2 00	12 50	
<b>BERBERIS</b>	<b>canadensis</b> , American Barberry . . . . .	6 to 12 in. . .	50	2 50	
"	" " " " " . . . . .	2 to 2½ ft. . .	1 00	7 00	
"	" " " " " . . . . .	3 to 4 ft. . .	1 50		
"	<b>repens</b> . Very fine . . . . .	2 to 3 in. . .	2 00	15 00	
<b>CALLICARPA</b>	<b>purpurea</b> , French Mulberry . . . . .	1 to 2 ft. . .	75	5 00	
<b>CALYCANTHUS</b>	<b>floridus</b> , Sweet Shrub. S. . . . .	3 to 6 in. . .	35	2 00	8 00
"	" " " " trans. . . . .	6 to 12 in. . .	60	5 00	
"	" " " " S. . . . .	6 to 12 in. . .	50	4 00	12 00
"	" " " " S. . . . .	1 to 2 ft. . .	60	5 00	30 00
"	" " " " trans. . . . .	3 to 5 ft. . .	1 50	12 00	
"	<b>glaucus</b> . . . . .	2 to 3 ft. . .	2 00		
"	" heavy clumps . . . . .	3 to 4 ft. . .	3 50		
"	" " " " . . . . .	4 to 6 ft. . .	4 00		
"	<b>lævigatus</b> . Col. . . . .	1 to 2 ft. . .	50	4 00	15 00
"	" " " " " . . . . .	2 to 3 ft. . .	2 00	15 00	
"	" " " " " . . . . .	3 to 4 ft. . .	3 50	20 00	
"	" " " " heavy clumps . . . . .	4 to 6 ft. . .	4 50		
<b>CEANOTHUS</b>	<b>americanus</b> . Strong . . . . .	6 to 12 in. . .	1 50	10 00	
<b>CEPHALANTHUS</b>	<b>occidentalis</b> , clumps . . . . .	2 to 3 ft. . .	1 50		
<b>CHIONANTHUS</b>	<b>virginica</b> , White Fringe . . . . .	3 to 6 in. . .	35	2 50	20 00
"	" " " " " . . . . .	6 to 12 in. . .	1 00	5 00	45 00
"	" " " " " . . . . .	1 to 2 ft. . .	1 50		
"	" " " " " . . . . .	3 to 5 ft. . .	4 00		
<b>CLETHRA</b>	<b>acuminata</b> , Southern Pepper Bush . . . . .	6 to 12 in. . .	35	2 50	20 00
"	" " " " " . . . . .	1 to 2 ft. . .	50	4 00	30 00
"	" " " " " . . . . .	2 to 3 ft. . .	75	6 00	
"	" " " " clumps. . . . .	4 to 6 ft. . .	2 50	20 00	
"	" " " " " . . . . .	6 to 7 ft. . .	3 50		
"	<b>alnifolia</b> , Pepper Bush . . . . .	6 to 12 in. . .	50	4 00	30 00
"	" " " " heavy . . . . .	12 to 18 in. . .	75	6 00	
"	" " " " clumps. . . . .	18 to 24 in. . .	1 25	8 00	
"	" " " " " . . . . .	2 to 3 ft. . .	2 00		
<b>CLIFTONIA</b>	<b>ligustrina</b> . . . . .	4 to 12 in. . .	1 00		
"	" " " " " . . . . .	12 to 18 in. . .	1 50		
<b>CORNUS</b>	<b>sericea</b> , Silky Cornel. . . . .	1 to 2 ft. . .	1 00	6 00	
"	" " " " clumps. . . . .	4 to 6 ft. . .	1 50		
"	<b>stolonifera</b> , Red-twigged Dogwood. S. . . . .	6 to 12 in. . .	75	4 00	35 00
"	" " " " " . . . . .	2 to 3 ft. . .	1 25	10 00	
"	" " " " " . . . . .	3 to 4 ft. . .	2 00		
"	<b>circinata</b> . . . . .	1 to 2 ft. . .	1 25		
"	" " " " " . . . . .	2 to 3 ft. . .	1 50		
"	<b>paniculata</b> . . . . .	1 to 2 ft. . .	1 25	8 00	
<b>CORYLUS</b>	<b>americana</b> . . . . .	5 to 7 ft. . .	3 00		
"	<b>rostrata</b> . 1-yr. . . . .	4 to 12 in. . .	1 00	6 00	
<b>CRATÆGUS</b>	<b>coccinea</b> . S. . . . .	6 to 12 in. . .	50	4 00	
"	<b>crus-galli</b> . S. . . . .	4 to 12 in. . .	50	4 00	
<b>DECODON</b>	<b>(nesæa) verticillatus</b> . Strong . . . . .		1 00	7 00	

DECIDUOUS SHRUBS, continued.		Size	Per 10	100	1,000
DIERVILLA sessilifolia (sulphur-yellow)		6 to 12 in.	\$0 25	\$2 00	
"	"	1 to 2 ft.	50	4 00	\$20 00
"	"	2 to 4 ft.	1 00	6 00	45 00
"	trifida	3 to 6 in.	25	2 00	
"	"	6 to 12 in.	50	4 00	20 00
"	"	12 to 18 in.	75	4 00	
DIRCA palustris, Leatherwood.	Light	6 to 18 in.	75	6 00	
FOTHERGILLA alnifolia.	1 yr.	6 to 12 in.	1 00		
GAYLUSSACIA frondosa		6 to 12 in.	75		
"	resinosa. Col.	6 to 12 in.	50	3 00	15 00
"	ursina, Buckberry	3 to 6 in.	1 00	6 00	
HAMAMELIS virginica, Witch Hazel		6 to 12 in.	50	3 00	25 00
"	"	1 to 2 ft.	1 25	7 00	
"	"	clumps	2 50		
"	"	3 to 4 ft.	3 50		
"	"	4 to 6 ft.	5 00		
HYDRANGEA arborescens, Smooth Hydrangea.		6 to 12 in.	35	2 50	
"	"	1½ to 3 ft.	60	4 00	
"	quercifolia	6 to 18 in.	2 50		
"	radiata, Silver Hydrangea	6 to 12 in.	35	2 50	
"	"	12 to 18 in.	50	3 50	
"	"	1½ to 2½ ft.	75	5 00	40 00
ILEX verticillata		4 to 12 in.	1 00	6 00	
"	"	1 to 2 ft.	1 50		
ITEA virginica		6 to 12 in.	75	5 00	
"	"	2 to 3 ft.	1 50		
LIGUSTRUM ibota (true). Clumps		1 to 2 ft.	1 75	15 00	
"	"	2 to 3 ft.	2 25	20 00	
LINDERA benzoin, Spice Bush		9 to 18 in.	75	4 00	
LEUCOTHOE recurva.	Light	6 to 18 in.	50	3 50	
MENZIESIA pilosa (globularis)		6 to 12 in.	50	3 00	
"	"	1 to 2 ft.	75	5 00	
MYRICA asplenifolia, Sweet Fern		6 to 12 in.	75	5 00	40 00
"	"	1 to 2 ft.	1 00	7 00	
"	cerifera	4 to 12 in.	1 00		
"	"	12 to 18 in.	1 50		
"	pumila	1 to 2 ft.	1 50		
NEMOPANTHES canadensis		9 to 18 in.	1 00	7 00	
POTENTILLA fruticosa, Shrubby Cinquefoil		6 to 12 in.	75		
"	"	1½ to 2 ft.	1 25		
PRUNUS virginiana		2 to 4 in.	75		
"	maritima, Beech Plum. S.	3 to 6 in.	50	4 00	
"	"	6 to 12 in.	75	6 00	
PYRUS arbutifolia		6 to 12 in.	50	3 00	
"	strong.	1 to 2 ft.	75	6 00	
"	clumps.	2 to 3 ft.	1 50	12 50	
"	erythrocarpa	2 to 3 ft.	2 00		
RHODORA canadensis		6 to 12 ft.	50	4 00	
"	"	1 to 2 ft.	1 00	7 00	
RHUS aromatica		3 to 9 in.	1 25	8 00	
"	"	1 to 2 ft.	2 00		
"	copallina, Scarlet Sumach	6 to 12 in.	50	3 00	
"	"	1 to 2 ft.	75	5 00	
"	glabra, Smooth Sumach	1 to 2 ft.	1 00		

DECIDUOUS SHRUBS, continued.		Size	Per 10	100	1,000
<b>RHUS</b> <i>glabra</i> , Smooth Sumach		2 to 3 ft.	\$1 50		
" <i>typhina</i> , Staghorn Sumach		6 to 12 in.	50	\$3 00	
" " " "		1 to 3 ft.	1 00	6 00	
" " " "		3 to 5 ft.	1 50	10 00	
<b>RIBES</b> <i>cynosbati</i>		6 to 12 in.	75		
" " " "		1 to 3 ft.	1 25		
" <i>prostratum</i> . Col.		6 to 18 in.	1 00	6 00	\$30 00
" <i>rotundifolium</i>		12 to 18 in.	1 00		
<b>ROBINIA</b> <i>hispida</i> , Sweet Pea Shrub		1 to 2 ft.	75	5 00	
" " " "		2 to 3 ft.	1 00	7 00	
" <i>kelseyi</i> , New Species, now offered for the first time			3 00		
" <i>rosea</i>		1 to 2 ft.	1 50		
" <i>viscosa</i>		1 to 2 ft.	75		
" " " "		2 to 3 ft.	1 00	8 00	
" " " "		4 to 6 ft.	1 50		
" " " "		6 to 8 ft.	2 00		
<b>ROSA</b> <i>blanda</i>		1 to 2 ft.	1 00		
" <i>carolina</i> , extra stock		1 to 2 ft.	75	4 00	25 00
" " " " clumps		2 to 3 ft.	1 00	5 00	35 00
" " " " " "		3 to 4 ft.	1 50	8 00	60 00
" <i>lucida</i> , Dwarf Rose		6 to 12 in.	60	4 00	25 00
" " " "		1 to 2 ft.	75	6 00	40 00
" <i>nitida</i>		4 to 12 in.	1 00	7 00	
" <i>rugosa</i>		1 to 2 ft.	1 25	10 00	
" <i>rugosa ferox</i>		6 to 12 in.	1 50		
" " " "		12 to 18 in.	2 50		
" <i>setigera</i> , Prairie Rose		6 to 12 in.	75	5 00	
" " " "		2 to 3 ft.	1 25	8 00	
" " " "		3 to 5 ft.	2 00	15 00	
<b>RUBUS</b> <i>odoratus</i> , Flowering Raspberry		1 to 3 ft.	50	3 00	15 00
□ " " " " clumps		1½ to 2 ft.	1 00	8 00	
<b>SALIX</b> <i>sericea</i>		2 to 3 ft.	1 50		
<b>SAMBUCUS</b> <i>canadensis</i> , Elderberry. Col.		1 to 2 ft.	50	3 00	15 00
" <i>racemosa</i> . Col.		1 to 2 ft.	1 00	8 00	
<b>SPIRÆA</b> <i>dumosa</i> . Clumps		1 to 2 ft.	2 00		
" <i>salicifolia</i> , Meadow Sweet		3 to 4 ft.	75	5 00	
" " " "		4 to 6 ft.	1 25	8 00	50 00
" <i>tomentosa</i> , Steeple Bush		6 to 12 in.	1 00		
" " " "		1 to 2 ft.	1 50		
" <i>van houttei</i> . Clumps		1 to 2½ ft.	2 00	15 00	
<b>STUARTIA</b> <i>pentagyna</i>	Each, \$1.50	3 to 4 ft.			
" " " "	\$2.50	4 to 5 ft.			
<b>SYMPHORICARPUS</b> <i>racemosa</i> , Snowberry		18 to 24 in.	1 00	8 00	
" <i>vulgaris</i>		2 to 3 ft.	1 00	7 00	
" " " " clumps		3 to 4 ft.	1 50		
<b>SYRINGA</b> <i>vulgaris</i>		1 to 2 ft.	1 00		
<b>VACCINIUM</b> <i>constablæi</i> . Col.		6 to 12 in.	1 00	8 00	
" <i>corymbosum</i> . Col.		1 to 2 ft.	75	5 00	
" <i>erythrocarpon</i> . Col.		6 to 12 in.	1 00	8 00	
" <i>hirsutum</i>		3 to 6 in.	1 50	10 00	
" " " "		6 to 9 in.	2 00	15 00	
" <i>pennsylvanicum</i>		3 to 6 in.	75	5 00	
" <i>stamineum</i> , Deerberry		6 to 12 in.	75	5 00	
" " " "		12 to 18 in.	1 00	7 00	

## DECIDUOUS SHRUBS, continued.

	Size	Per 10	100	1,000
<b>VIBURNUM acerifolium</b> , Maple-leaved Arrow . . . . .	6 to 12 in. . . . .	\$0 60	\$4 00	\$35 00
“ “ Wood . . . . .	1 to 2 ft. . . . .	1 00	6 00	
“ “ clumps . . . . .	2 to 3 ft. . . . .	2 00		
“ “ “ . . . . .	3 to 4 ft. . . . .	3 00		
“ <b>cassinoides</b> . . . . .	3 to 6 in. . . . .	40	3 00	
“ “ . . . . .	6 to 12 in. . . . .	60	4 00	
“ “ . . . . .	1 to 2 ft. . . . .	1 00	8 00	
“ “ clumps . . . . .	5 to 8 ft. . . . .	3 00		
“ <b>dentatum</b> . . . . .	1½ to 2½ ft. . . . .	1 50		
“ <b>lantanoides</b> , Hobble-bush . . . . .	1 to 2 ft. . . . .	1 00	8 00	
“ <b>nudum</b> . . . . .	3 to 6 in. . . . .	50	4 00	
“ “ . . . . .	6 to 12 in. . . . .	1 00	6 00	
“ “ . . . . .	1 to 2 ft. . . . .	1 25		
“ <b>opulus</b> . . . . .	12 to 18 in. . . . .	1 50		
“ <b>prunifolium</b> . S. . . . .	3 to 5 in. . . . .	1 00	7 00	
<b>XANTHORRHIZA apiifolia</b> . Yellowroot. Exceptionally fine undershrub for shady and moist situations. The cut leaves color beautifully in autumn. We supplied many thousands which were planted in Franklin Park, Boston, this spring. 1-yr. trans. . . . .				
	3 to 6 in. . . . .	50	3 00	25 00
	6 to 12 in. . . . .	1 00	7 00	
<b>XANTHOXYLUM americanum</b> . . . . .	1 to 2 ft. . . . .	1 25		

## CONIFERS AND EVERGREENS.

	Size	Per 10	100	1,000
<b>ABIES concolor</b> . . . . .	6 to 18 in. . . . .	\$1 50		
“ <b>fraseri</b> . The true southern species . . . . .	6 to 12 in. . . . .	50	\$3 00	\$18 00
“ “ . . . . .	1 to 2 ft. . . . .	75	5 00	
“ “ . . . . .	2 to 2½ ft. . . . .	1 00	7 00	60 00
<b>CHAMÆCYPARIS sphæroidea</b> , White Cedar . . . . .	1 to 2 ft. . . . .	75		
“ “ “ “ . . . . .	2 to 4 ft. . . . .	1 25		
“ “ “ “ . . . . .	4 to 6 ft. . . . .	2 00		
<b>ILEX opaca</b> , American Holly . . . . .	3 to 9 in. . . . .	75	5 00	40 00
“ “ “ “ . . . . .	6 to 12 in. . . . .	1 25	8 00	
“ “ “ “ . . . . .	12 to 18 in. . . . .	2 00		
“ “ “ “ . . . . .	1½ to 3 ft. . . . .	3 50		
<b>JUNIPERUS virginiana</b> , Red Cedar. S. . . . .	3 to 6 in. . . . .	25	2 00	18 00
“ “ “ “ S. . . . .	6 to 9 in. . . . .	50	4 00	
“ “ “ “ . . . . .	3 to 4 ft. . . . .	2 50		
<b>MAGNOLIA grandiflora</b> , Great Southern Magnolia . . . . .	3 to 6 in. . . . .	2 00		
“ <b>glauca</b> , Sweet Bay . . . . .	6 to 12 in. . . . .	75	5 00	
“ “ “ “ . . . . .	1 to 2 ft. . . . .	1 25	10 00	
“ “ “ “ . . . . .	4 to 6 ft. . . . .	4 00		
<b>PICEA nigra</b> , Black Spruce . . . . .	6 to 12 in. . . . .	40	3 00	
“ “ “ “ . . . . .	1 to 2 ft. . . . .	75		
“ <b>pungens</b> , Colorado Blue . . . . .	6 to 12 in. . . . .	2 00	15 00	
“ <b>douglasi</b> , Douglas' Spruce. S. . . . .	1 to 2 in. . . . .	75	5 00	35 00
“ “ “ “ . . . . .	3 to 9 in. . . . .	1 50	12 00	
“ <b>rubra</b> . . . . .	2 to 4 in. . . . .	1 00		
<b>PINUS ponderosa</b> . . . . .	4 to 12 in. . . . .	1 00	8 00	
“ <b>pungens</b> , Table Mountain Pine. Heavy . . . . .	2 to 4 ft. . . . .	1 50		
“ “ “ “ . . . . .	5 to 7 ft. . . . .	2 50	18 00	
“ “ “ “ . . . . .	7 to 8 ft. . . . .	3 50	25 00	
“ <b>resinosa</b> . . . . .	2 to 4 in. . . . .	1 00		



## CONIFERS AND EVERGREENS, continued.

	Size	Per 10	100	1,000
<b>PINUS strobus</b> , White Pine. An extra fine stock . . .	6 to 12 in. . .	\$0 75	\$4 00	\$30 00
" " " " . . . . .	1 to 2 ft. . .	1 00	8 00	65 00
" " " " . . . . .	2 to 3 ft. . .	1 50	12 50	100 00
" " " " . . . . .	3 to 4 ft. . .	2 00	18 00	
<b>TSUGA canadensis</b> , Hemlock . . . . .	3 to 6 in. . .	25	2 00	15 00
" " " " . . . . .	6 to 12 in. . .	40	2 50	20 00
" " " " . . . . .	12 to 18 in. . .	60	4 00	25 00
" " " " . . . . .	18 to 24 in. . .	1 00	7 00	55 00
" " " " . . . . .	2 to 3 ft. . .	1 75	15 00	115 00
" " " " . . . . .	3 to 4 ft. . .	3 50	30 00	
" <b>caroliniana</b> , Carolina Hemlock . . . . .	3 to 6 in. . .	75	5 00	
" " " " . . . . .	6 to 12 in. . .	2 50	20 00	160 00
" " " " . . . . .	12 to 18 in. . .	3 50	30 00	
" " " " . . . . .	2 to 3 ft. . .	10 00	85 00	
" " " " . . . . .	3 to 4 ft. . .	20 00		
" " " " . . . . .	4 to 5 ft. . .	35 00		
" " " " . . . . .	6 to 8 ft. . .	50 00		

This grand new Hemlock, introduced by us, possesses a distinct pyramidal growth, and attains a height of 40 to 50 feet. Its dense, dark foliage and graceful habit are only approached by some of the finer Japanese Hemlocks, which it somewhat resembles. Some fine specimens, 12 to 15 feet high, are now to be seen in the Arnold Arboretum, and are the first plants of this Hemlock ever sent out, being supplied by us to Prof. C. S. Sargent, Director, in 1884.

## EVERGREEN SHRUBS.

The following (mostly broad-leaved) Shrub Evergreens are of greatest value for massing and for ground covering. All are perfectly hardy, and most of them produce a grand show of flowers. It is needless here to more than call attention to the large stock of *Rhododendrons* and *Kalmia latifolia* offered below. All are carefully transplanted and cultivated, and are clean and stocky. I have special methods of growing, gained by long experience, which insures healthy, well-ripened wood and good balls on roots, and the large quantities grown enable me to produce and sell at extraordinarily low prices. They will also be collected to order cheaply in any quantities. (See page 15.)

A specialty is made of collecting to order by the carload clumps and large plants of *Rhododendron maximum*, *Kalmia latifolia*, *Leucothoe catesbaei*, and others, which are sure to grow and produce a fine immediate effect. Cost for this service gladly estimated, and correspondence invited, particularly from Landscape Gardeners and Park and Cemetery Superintendents.

	Height	Per 10	100	1,000
<b>AMDROMEDA nitida</b> , clumps . . . . .	2 to 4 in. . .	\$1 50		
" " " " . . . . .	9 to 18 in. . .	2 00		
" <b>polifolia</b> . . . . .	6 to 12 in. . .	75	\$5 00	\$40 00
" " " " . . . . .	12 to 18 in. . .	1 25	10 00	
<b>ARCTOSTAPHYLOS uva-ursi</b> . . . . .	6 to 12 in. . .	2 00		
<b>CASSANDRA calyculata</b> , Leather Leaf . . . . .	6 to 12 in. . .	75	6 00	50 00
" " " " . . . . .	12 to 18 in. . .	1 00	8 00	
" " " " heavy clumps . . . . .	12 to 18 in. . .	1 50		
<b>EMPETRUM nigrum</b> . . . . .	3 to 6 in. . .	1 25	10 00	
<b>HYPERICUM aureum</b> . . . . .	6 to 12 in. . .	1 50	12 00	
" " " " . . . . .	1 to 2 ft. . .	2 00	18 00	
" " " " . . . . .	2 to 3 ft. . .	3 00		
" " " " . . . . .	3 to 4 ft. . .	4 00		
" <b>densiflorum</b> , S. . . . .	6 to 12 in. . .	50	4 00	25 00

## EVERGREEN SHRUBS, continued.

	Height	Per 10	100	1,000
<b>HYPERICUM densiflorum.</b> Heavy . . . . .	1 to 2 ft.	\$0 75	\$5 00	\$35 00
" " " . . . . .	2 to 3 ft.	1 00	7 00	50 00
" " clumps . . . . .	3 to 4 ft.	1 25	8 00	
" <b>prolificum</b> . . . . .	6 to 12 in.	1 00	8 00	
" " . . . . .	1 to 2 ft.	1 50	12 00	
" " . . . . .	2 to 3 ft.	2 00		
" " . . . . .	3 to 4 ft.	3 00		
" " . . . . .	4 to 5 ft.	3 50		
<b>ILEX glabra,</b> Ink Berry . . . . .	3 to 9 in.	1 00	8 00	
<b>JUNIPERUS sabina prostrata</b> . . . . .	1 to 3 in.	1 00		
<b>KALMIA angustifolia,</b> Dwarf Laurel . . . . .	6 to 12 in.	50	4 00	20 00
" " " " . . . . .	12 to 18 in.	75	6 00	
" <b>glauca,</b> Pale Laurel . . . . .	6 to 12 in.	1 25		
" <b>latifolia,</b> Mountain Laurel . . . . .	3 to 6 in.	50	2 50	20 00
" " " " . . . . .	6 to 12 in.	75	5 00	40 00
" " " " . . . . .	12 to 18 in.	1 50	12 50	110 00
" " " " . . . . .	18 to 24 in.	3 00	20 00	
Clumps from 6 in. to 3 ft. high at from \$2.50 to \$8 per 10, \$15 to \$60 per 100, according to selection.				
<b>LEIOPHYLLUM buxifolium,</b> Sand Myrtle. Heavy . .	9 to 18 in.	75	5 00	35 00
" " <b>prostratum,</b> Mountain				
Heath. Heavy clumps. . . . .	4 to 8 in.	1 00	7 00	50 00
" " " " . . . . .	8 to 12 in.	1 50	12 00	
<b>LEUCOTHÖE catesbæi</b> . . . . .	3 to 6 in.	35	3 00	25 00
" " . . . . .	6 to 12 in.	50	4 00	35 00
" " . . . . .	12 to 18 in.	1 00	6 00	45 00
" " clumps . . . . .	1 to 2 ft.	3 00		
<b>LEDUM latifolium,</b> Labrador Tea . . . . .	6 to 12 in.	75	5 00	40 00
" " " " . . . . .	12 to 18 in.	1 50		
<b>RHODODENDRON catawbiense,</b> Purple Rhododendron. .	3 to 6 in.	50	4 00	35 00
" " " " . . . . .	6 to 12 in.	1 50		
" " " " . . . . .	1 to 2 ft.	1 75		
" " " " . . . . .	2 to 3 ft.	3 00		
" " " " . . . . .	3 to 4 ft.	4 50		
Clumps at 50 cts. to \$1 each.				
" <b>maximum,</b> Great Rhododendron . . . . .	3 to 6 in.	50	2 50	20 00
" " " " . . . . .	6 to 12 in.	1 25	8 00	60 00
" " " " . . . . .	12 to 18 in.	2 00	15 00	125 00
" " " " . . . . .	18 to 24 in.	3 00	25 00	
Some clumps, 6 in to 3 ft. high, at 50 cts. to \$2 each, \$4 to \$15 per 10.				
" <b>punctatum,</b> Pink Rhododendron . . . . .	6 to 12 in.	75		
" " " " . . . . .	9 to 18 in.	1 50		
<b>TAXUS canadensis,</b> Yew . . . . .	6 to 12 in.	75	6 00	
<b>THUJA occidentalis</b> . . . . .	6 to 12 in.	1 00	6 00	50 00

## VINES, CLIMBERS AND CREEPERS.

Many plants here offered are of especial merit for ground covering, and, where needed in very large quantities, will be supplied at very low prices. *Ampelopsis quinquefolia* var. *englemanni*, *Lonicera sempervirens*, *L. halleana*, *L. japonica*, *Polygonum ciliode*, *Celastrus scandens*, *Rubus hispidus* and *Vitus species* are particularly recommended. In soils adapted to its growth (peaty or loamy, and preferably moist), *Galax aphylla* makes a

hardy evergreen undershrub covering of lasting beauty, being a rich green in summer and coloring vivid bronze tints in autumn and winter, an effect which must be seen to be appreciated.

	Size	Per 10	100	1,000
<b>AMPELOPSIS arborea</b> . . . . .	12 to 18 in. . . . .	\$2 00		
" <b>quinquefolia</b> . Strong 3-yrs. . . . .		1 00	\$7 00	\$60 00

**AMPELOPSIS ENGLEMANNI**. This is the clinging form of the well-known Virginia Creeper, and was introduced by us several seasons ago. The leaves are much thinner and smaller than in the ordinary variety, and the whole plant lacks the coarseness that characterizes *A. quinquefolia*, and it clings to walls like the ivy. The fall coloring is exceedingly brilliant, and in every way it is vastly superior to the common form, which is not used where the new variety is known and can be had. A fine stock ready for fall delivery. Strong, 75 cts. for 10, \$4 per 100, \$35 per 1,000; heavier, \$1 for 10, \$7 per 100, \$60 per 1,000.

	Per 10	100	1,000
<b>BIGNONIA capreolata.</b> S. . . . .	\$0 50	\$4 00	
" <b>radicans.</b> Strong. 1 to 2 ft. . . . .	40	3 00	
<b>CELASTRUS scandens,</b> Bittersweet. Strong . . . . .	75	5 00	
"    "    "    Heavier . . . . .	1 00	8 00	
<b>CLEMATIS coccinea</b> . . . . .	1 25	6 00	\$50 00
" <b>crispa</b> . . . . .	1 50		
" <b>virginiana.</b> Heavy . . . . .	75	4 00	35 00
Small, strong plants, Col., \$10 per 1,000.			
<b>COCCULUS carolinus</b> . . . . .	75	5 00	
<b>DIOSCOREA villosa</b> . . . . .	40	3 00	
<b>EPIGÆA repens,</b> Trailing Arbutus. Extra strong and large. Col. clumps . . . . .	1 00	7 00	
<b>GALAX aphylla.</b> Established clumps . . . . .	75	6 00	
"    "    Col. clumps . . . . .	50	3 00	15 00
<b>GAULTHERIA procumbens,</b> Wintergreen. Col. clumps . . . . .	30	2 00	15 00
<b>HOUSTONIA serpyllifolia,</b> Bluets. Col. clumps . . . . .	30	2 00	15 00
<b>HUMULUS lupulus,</b> Hop . . . . .	75	5 00	30 00
<b>IPOMÆA pandurata,</b> Moonflower . . . . .	1 00		
<b>LONICERA halleana,</b> Hall's Honeysuckle. Strong . . . . .	1 00	7 00	60 00
"    "    "    "    Smaller . . . . .	50	4 00	30 00
" <b>japonica</b> . . . . .	50	4 00	30 00
" <b>parviflora.</b> Can be trained as a standard weeper. 2 to 4 ft. . . . .	1 00		
" <b>sempervirens,</b> Scarlet Honeysuckle. Especially adapted to ground covering . . . . .	50	4 00	
<b>LYCOPodium,</b> in variety. Peaty soils. Col. . . . .	50		
<b>MENISPERMUM canadense,</b> Moonseed . . . . .	50	4 00	
<b>MITCHELLA repens,</b> Partridge Vine. Col. clumps . . . . .	30	2 50	15 00
<b>NEPETA glechoma,</b> Ground Ivy. Col.; strong . . . . .	30	2 00	10 00
<b>PASSIFLORA incarnata</b> . . . . .	75		
<b>PHLOX reptans,</b> Trailing Phlox. Col. . . . .	30	2 50	12 50
" <b>subulata.</b> Strong . . . . .	50	4 00	
<b>POLYGONUM cilinode.</b> A very quick covering . . . . .	30	2 00	
<b>RUBUS canadensis.</b> 6 to 12 in. . . . .	35	2 00	15 00
" <b>cuneifolium.</b> 6 to 12 in. . . . .	1 25		
" <b>deliciosus.</b> 1 to 2 ft. . . . .	1 25		
" <b>hispidus.</b> One of the best for all situations. Leaves color beautifully . . . . .	30	2 00	15 00
" <b>laciniatus.</b> 1 to 2 ft. . . . .	1 25		
" <b>trivialis.</b> Col. . . . .	40	3 00	
<b>VACCINIUM crassifolium</b> . . . . .	1 00		

VINES, CLIMBERS AND CREEPERS, continued.			Per 10	100	1,000
VERONICA serpyllifolia and officinalis. Col. clumps . . . . .			\$0 30	\$2 00	
VINCA minor, Periwinkle. Strong trans. . . . .			50	4 00	\$20 00
VITIS æstivalis. S. 3 to 12 in. . . . .			75		
" cinerea. S. 3 to 6 in. . . . .			75		
" cordifolia, Frost Grape. 6 to 12 in. . . . .			1 00	7 00	
" indivisa. 12 to 18 in. . . . .			1 50		
" labrusca, Fox Grape. 1 to 2 ft. . . . .			1 00	7 00	
" monticola. S. 3 to 6 in. . . . .			75	5 00	
" riparia. S. 3 to 6 in. . . . .			75	5 00	40 00
WISTARIA frutescens. 3 to 6 in. . . . .			75	5 00	
" " 1 to 2 ft. . . . .			1 00		

## NATIVE FERNS.

A good collection of hardy native Ferns suitable for park and cemetery planting, including the following varieties:

Adiantum pedatum,  
Aspidium acrostichoides,  
Aspidium marginale,

Aspidium spinulosum,  
Dicksonia punctilobula,  
Onoclea sensibilis,

Osmunda, in 3 vars.,  
Polypodium vulgare,  
Pteris aquilina.

Also a rare collection of **California Ferns**, some never offered before. Write for list.

	Per 10	100	1,000		Per 10	100	1,000
Adiantum pedatum, Maidenhair Fern . . . . .	\$1 00			Camptosorus rhizophyllus, Walking-Leaf Fern . . . . .	\$0 60	\$4 00	
Aspidium acrostichoides, Dagger Fern . . . . .	75	\$5 00	\$30 00	Cystopteris bulbifera . . . . .	1 00		
" cristatum clintonianum . . . . .	2 50			Dicksonia punctilobula. Col. clumps . . . . .	50	2 00	\$10 00
" goldianum . . . . .	2 50			Lygodium palmatum . . . . .	1 00		
" marginale, Shield Fern . . . . .	75	5 00	30 00	Onoclea sensibilis . . . . .	1 00	5 00	
" spinulosum, Wood Fern . . . . .	75	5 00	30 00	Osmunda cinnamonea, Cinnamon Fern . . . . .	75	5 00	
" thelypteris . . . . .	2 00			" claytoniana . . . . .	75	5 00	
Asplenium femina machauxii . . . . .	2 00			" gracilis . . . . .	1 00		
Botrychium lunaroides, Moonwort . . . . .	60	4 00		" regalis, Royal Fern . . . . .	75	5 00	
" dissectum . . . . .	60	4 00		Phegopteris hexagonoptera . . . . .	75		
" virginicum . . . . .	60	4 00		Polypodium vulgare, Polypody. Col. . . . .	50	2 00	10 00
				Pteris aquilina, Brake. Col. . . . .	50		
				Woodwardia virginica. Col. . . . .	1 00	6 00	

Most of the above Ferns will be collected to order at \$10 per 1,000, excepting the **Osmundas**, which are very heavy, at \$15 per 1,000. Only strong clumps will be sent. All nursery-grown, except where marked Col.

## AQUATICS AND BOG PLANTS.

	Per 10	100	1,000
Acorus calamus, Sweet Flag . . .	\$0 60	\$3 00	
Aster puniceus, Swamp Aster . .	50	2 00	\$10 00
Chelone glabra alba. White . . .	60	3 00	

**CHELONE LYONI.** Rare and valuable. Bright pink flowers in large clumps; very showy in masses. Clumps, 60 cts. for 10, \$3 per 100, \$18 per 1,000.

**Darlingtonia californica** . . . 2 00 18 00

**DIONÆA MUSCIPULA** (Venus' Fly Trap). We have been headquarters for this rare and curious insectivorous plant for many years. Can be mailed or expressed at any time of the year. Strong plants, \$1 for 10, \$4 per 100, \$35 per 1,000.

Drosera filiformis, Thread-Leaved . . . . .	1 00		
" rotundifolia, Sundew . . .	50	2 00	8 00

**HELONIAS BULLATA.** An exceedingly rare and showy bog plant; large purple flowers appear in March and April. 6c. for 10, \$3 per 100, \$20 per 1,000,

Ligusticum actæfolium . . . . .	75		
Nuphar sagittifolia. Very rare .	4 00	30 00	

**NYPHÆA ODORATA** (White Fragrant Water Lily). Few aquatics equal this for hardiness and effect. Any quantity of strong roots can be supplied. \$1 for 10, \$5 per 100, \$35 per 1,000.

**NYPHÆA ODORATA ROSEA.** The famous Cape Cod Pink Pond Lily. We export large quantities every year. \$5 for 10, \$45 per 100.

	Per 10	100	1,000
Orontium aquaticum, Golden Club . . . . .	\$0 75		
Sagittaria sagittifolia, Arrow Head . . . . .	30	\$2 00	\$8 00
" variabilis . . . . .	30	2 00	8 00
Sarracenia drummondii . . . . .	2 00	15 00	
" flava, Trumpets . . . . .	1 00	8 00	
" psittacina . . . . .	2 00	15 00	
" purpurea, Pitcher Plant . . . . .	75	5 00	40 00
" rubra. Small . . . . .	2 00		
" variolaris . . . . .	1 00	8 00	60 00
Sparganium ramosum, Bur Reed. .	50	3 00	
Vaccinium macrocarpon, Cranberry . . . . .	50	4 00	
" " Col. . . . .	35	2 00	6 00
Typha latifolia, Cat-Tails . . .	50	2 50	



## ORCHIDS.

	Per 10	100	1,000
<i>Calopogon pulchellus</i> . Purple; very fine . . . . .	\$0 50	\$3 50	

**CYPRIPEDIUM SPECTABILE** (White Lady Slipper).

Having secured an unlimited stock of this, the finest of all American Terrestrial Orchids, we are offering it at low rates for advance orders. Our foreign correspondents will be particularly pleased to be able to secure at a low rate a stock of this rare and beautiful orchid. Medium, \$1 for 10, \$7.50 per 100, \$70 per 1,000; large, \$1.50 for 10, \$12.50 per 100, \$110 per 1,000; extra, \$2 for 10, \$17.50 per 100, \$150 per 1,000.

	Per 10	100	1,000
<i>Cypripedium aucule</i> , Purple Lady-Slipper. Col. . . . .	\$0 50	\$4 00	\$30 00
<i>Cypripedium pubescens</i> , Yellow low Lady-slipper. Col. . . . .	50	4 00	
<i>Goodyera pubescens</i> , Rattlesnake Plaintain. Col. . . . .	50	4 00	
<i>Habenaria ciliaria</i> , Yellow Fringe. " <i>orbiculata</i> . Col. . . . .	75	4 00	
" <i>psycodes</i> . Purple Fringe. . . . .	75	5 00	
<i>Orchis spectabilis</i> , Showy Orchis. Col. . . . .	1 00	8 00	

## LILIES AND BULBOUS PLANTS.

	Per 10	100	1,000
<i>Allium tricoccum</i> . White. . . . .	\$0 50	\$2 00	
" <i>cernuum</i> . Pink. . . . .	1 00		
<i>Arisæma triphylla</i> . Jack-in-the Pulpit. . . . .	50	3 00	
<i>Amianthum muscætoxicum</i> . . . . .	50	2 50	
" <i>angustifolium</i> . . . . .	50		
<i>Convallaria majalis</i> , Lily-of-the- Valley, native form. Col. . . . .	50	2 50	\$15 00
<i>Dicentra cucullaria</i> , Squirrel Corn. Col. . . . .	50	2 00	
" <i>eximia</i> . Rare; finest varieties. . . . .	1 00	8 00	
" <i>spectabile</i> . . . . .	1 50	12 00	
<i>Erythronium americanum</i> , Dog's-tooth Violet. Col. . . . .	25	1 00	7 00
<i>Iris versicolor</i> . Clumps. . . . .	75	5 00	
<i>Lilium canadense</i> . . . . .	75	6 00	
" <i>columbianum</i> . . . . .	2 00		

**LILium GRAYI** (Gray's Lily). (Introduced by Harlan P. Kelsey.) Since introducing this beautiful and rare Lily in 1888, many thousands have been sent out to all parts of the world, and it is considered one of the best, most distinct and showy of the family. First size, \$12.50 per 100, \$80 per 1,000; Second size, \$7 per 100, \$50 per 1,000.

<i>Lilium humboldtii</i> (puberulum). . . . .	3 00		
" <i>philadelphicum</i> . . . . .	1 00	7 00	
" <i>washingtonianum</i> . . . . .	3 00		

**LILium SUPERBUM** (Turk's-Cap Lily). No description will do justice to this magnificent American Lily. A clump of them is literally a "blaze of scarlet and gold." For years we have made the growing of this Lily a specialty, and have sent out over a hundred thousand bulbs. Our stock this season is very fine, and we are offering at a low price, for the benefit of large planters and those wishing to catalogue it. Of special use for planting in Rhododendron beds. Special prices: First size, 75 cts. for 10, \$4 per 100, \$30 per 1,000; Second size, 50 cts. for 10, \$2.50 per 100, \$20 per 1,000; Third size, 25 cts. for 10, \$1.50 per 100, \$10 per 1,000.

	Per 10	100	1,000
<i>Oxalis acetosella</i> . Col. . . . .	\$0 25	\$1 00	\$7 00

**TRILLIUMS** (Wood Lilies). The Trilliums, especially *T. grandiflorum*, are of special value for massing in plantation borders and under trees. They are cheap and give quick effect. Can be shipped in August.

<i>Trillium erectum</i> , Purple. . . . .	30	2 00	15 00
" <i>erythrocarpum</i> , Paint- ed Trillium. . . . .	50	2 50	18 00
" <i>grandiflorum</i> , Great White Trillium. . . . .	25	1 25	9 00
" <i>ovatum</i> . . . . .	1 50		
" <i>stylosum</i> , Nodding Tril- lium. . . . .	2 00	15 00	
" <i>sessile californi- cum</i> . . . . .	1 00	8 00	

## HERBACEOUS PERENNIALS.

A fine stock of strong nursery-grown clumps, especially suitable for borders and shrubbery planting. Assortments, our selection, at \$4 per 100, \$25 per 1,000, including the best sorts.

	Per 10	100	1,000
<i>Aconitum reclinatum</i> , rare. . . . .	\$1 25		
" <i>uncinatum</i> , Purple. Monkshood. . . . .	75	\$5 00	\$35 00
<i>Actæa alba</i> , Baneberry . . . . .	50	3 00	
" <i>spicata rubra</i> . . . . .	1 00	7 00	
<i>Agave virginica</i> , Aloe. Tropical effect. . . . .	35		
<i>Amsonia tabernæmontana</i> . Strong S. . . . .	1 00		
<i>Angelica curtisii</i> . . . . .	50	3 00	15 00
<i>Aquilegia canadense</i> , Columbine. Clumps. . . . .	75	5 00	
<i>Aralia nudicaulis</i> , Sarsaparilla . . . . .	50	2 00	
" <i>racemosa</i> . . . . .	75	4 00	
<i>Aralia quinquefolia</i> , Ginseng. The rare and valuable root ex- ported to China. Prices on application.			
<i>Aralia trifolium</i> . Round Gin- seng . . . . .	1 00	6 00	
<i>Archangelica hirsuta</i> . . . . .	60	3 00	

	Per 10	100	1,000
<i>Asarum shuttleworthii</i> , Heart- leaf. . . . .	\$0 50	\$3 00	
<i>Asclepias incarnata pulchra</i> . . . . .	1 50		
" <i>tuberosa</i> . . . . .	75	5 00	
<i>Ascyrum crux-andræ</i> , St. Peter's Wort. Col. . . . .	60		
<i>Aster cordifolius</i> , Tall, Purple. Moist places. . . . .	50	3 00	\$10 00
" <i>puniceus</i> . . . . .	50	2 00	10 00
" <i>mixture</i> . . . . .	50	2 00	10 00
<i>Baptisia australis</i> , Purple. Cls. . . . .	1 50		
" <i>tinctoria</i> . Bright yellow. . . . .	75	4 00	
<i>Boykinia aconitifolia</i> . . . . .	50	3 00	
<i>Brunella vulgaris</i> . Col. . . . .	50	2 00	
<i>Callirhoe involucrata</i> . . . . .	1 50	12 00	
<i>Campanula divaricata</i> , Hare- bells. Clumps. . . . .	1 00		
<i>Carex fraseri</i> . Rare . . . . .	75	5 00	
<i>Cassia marylandica</i> . . . . .	1 50	8 00	
<i>Caulophyllum thalictroides</i> . . . . .	60	4 00	

## HERBACEOUS PERENNIALS, continued.

	Per 10	100	1,000
<i>Collinsonia canadensis</i> . . . . .	\$0 50		
<i>Chamaelirium carolinianum</i> , Devil's Bit . . . . .	50	\$3 00	\$25 00

**CIMICIFUGA racemosa and americana.** The Cimicifugas are particularly adapted to woods planting, where they thrive and produce very showy spikes and trusses of white flowers. Clumps. 2,000 at \$20 per 1,000, 60 cts. for 10, \$3 per 100, \$25 per 1,000.

<i>Clintonia umbellata</i> . . . . .	40	2 00	
" <b>borealis</b> . . . . .	40	2 00	
<i>Coreopsis lanceolata</i> . S. . . . .	75	4 00	
" <b>senifolia</b> . Clumps. . . . .	75	4 00	
" <b>trichosperma</b> . Col. . . . .	75	3 00	
" <b>verticillata</b> . . . . .	75		
<i>Corydalis glauca</i> . Col. . . . .	50	2 00	
<i>Diphylleia cymosa</i> . . . . .	50	4 00	
<i>Disporum lanuginosum</i> . . . . .	50	3 00	
<i>Eupatorium ageratoides</i> . . . . .	30	2 00	12 00
" <b>perfoliatum</b> . Clumps . . . . .	50		
" <b>purpureum</b> . . . . .	50		
<i>Euphorbia corollata</i> . . . . .	50	3 00	
<i>Galax aphylla</i> , established . . . . .	75		
"    Col. . . . .	50	3 00	

**GENTIANA andrewsii** (Closed Gentian). An unlimited supply of this popular late-blooming plant. Strong roots, 60 cts. for 10, \$3 per 100, \$18 per 1,000.

<i>Geum radiatum</i> . . . . .	75	4 00	
<i>Geranium maculatum</i> . . . . .	50	3 00	
<i>Gillenia stipulacea</i> . Strong clumps . . . . .	1 00	5 00	30 00
<i>Helenium autumnale</i> . Clumps. . . . .	50	3 00	
<i>Helianthus strumosus</i> . . . . .	60	3 00	
<i>Hepatica acutiloba</i> . . . . .	40	2 00	
" <b>triloba</b> . . . . .	75		
<i>Heuchera americana</i> . . . . .	75		
" <b>villosa</b> . . . . .	60		
" <b>pubescens</b> . . . . .	75	4 00	
<i>Hibiscus</i> , <b>Crimson Eye</b> . Clumps. . . . .	1 00		
" <b>moscheutos</b> . S. 1 year. . . . .	50	4 00	
<i>Hieracium venosum</i> . . . . .	50	3 00	
<i>Houstonia purpurea</i> . . . . .	50	3 00	
"    " <b>tenuifolia</b> . . . . .	1 00	8 00	

**IRIS cristata and verna.** Strong nursery-grown clumps, \$1 for 10, \$5 per 100. Strong collected plants, 50 cts. for 10, \$2 per 100, \$10 per 1,000.

<i>Iris cuprea</i> . . . . .	2 00		
<i>Krigia dandelion montana</i> . New . . . . .	1 00	5 00	
<i>Liatris spicata montana</i> . New . . . . .	75	4 00	
<i>Lobelia cardinalis</i> , Cardinal Flower . . . . .	50		
" <b>syphillica</b> . Blue. Col. . . . .	75	4 00	
<i>Lysimachia ciliata</i> . Clumps . . . . .	50	3 00	
" <b>quadrifolia</b> . Clumps. . . . .	50	3 00	
<i>Melanthium virginicum</i> . . . . .	1 00	8 00	
<i>Mertensia virginica</i> . . . . .	1 00	7 00	
<i>Mimulus ringens</i> . Col. Clumps. . . . .	50	2 00	12 00
<i>Monarda didyma</i> , <b>coccinea</b> . Strong . . . . .	1 00	8 00	
<i>Petalostemon procumbens</i> . . . . .	1 50		
<i>Phlox maculata</i> . . . . .	75		
" <b>pilosa</b> . . . . .	75		
" <b>subulata</b> . . . . .	1 90		
<i>Physostegia virginiana</i> . Clumps. . . . .	1 00	7 00	
<i>Podophyllum peltatum</i> . . . . .	50	3 00	

	Per 10	100	1,000
<i>Polygonatum biflorum</i> . . . . .	\$0 60	\$3 00	
" <b>giganteum</b> . . . . .	75		
<i>Pyrola rotundifolia</i> . Col. . . . .	50	3 00	
<i>Rudbeckia fulgida</i> . Col. . . . .	50	2 00	

**SANGUINARIA canadensis** (Blood Root). All large orders should be placed at once. We cannot supply in quantity after August. Strong roots, 50 c., \$2 per 100, \$8 per 1,000.

<i>Saxifraga erosa</i> . Col. . . . .	60	3 00	
" <b>leucanthemifolia</b> . . . . .	75	5 00	
<i>Scrophularia nodosa</i> . . . . .	60	3 00	
<i>Sedum telephoides</i> . Clumps . . . . .	1 00		
" <b>telephium</b> . . . . .	1 00		
" <b>ternatum</b> . Col. . . . .	50	2 00	\$8 00

**SHORTIA galacifolia.** The beautiful and rare Shortia introduced by us. A fine stock of strong, established plants on hand. Strong, \$5 and \$35. Heavier clumps, \$10.

<i>Silene stellata</i> . . . . .	50	3 00	
" <b>virginica</b> , Fire Pink . . . . .	75	5 00	
"    Col. . . . .	40	2 00	15 00
<i>Smilacina bifolia</i> . Col. . . . .	40	2 00	10 00
" <b>racemosa</b> . . . . .	75	5 00	35 00
<i>Solidago odora</i> . . . . .	75		
"    in variety. Col. . . . .	50	2 00	10 00

**SPIRÆA aruncus pubescens.** Kelsey. New, and now offered for the first time. A large and distinct pubescent form of the Goat's-Beard. Strong plants, 40 cts. per 2, \$15 per 100.

<i>Spiræa aruncus</i> . Strong . . . . .	50	4 00	
------------------------------------------	----	------	--

**STENANTHIUM ANGUSTIFOLIUM.** \$1.50 for 10, \$10 per 100.

<i>Thalictrum dioicum</i> . . . . .	60	2 00	
<i>Thaspium aureum</i> , <b>trifoliatum</b> . Strong . . . . .	50	3 00	
<i>Thermopsis caroliniana</i> . . . . .	1 25	10 00	
"    1-yr. . . . .	75	5 00	40 00
<i>Tradescantia pilosa</i> . . . . .	50	3 00	
" <b>virginica</b> . . . . .	75	5 00	
<i>Trautvetteria palmata</i> . . . . .	60	4 00	
<i>Triosteum perfoliatum</i> . . . . .	50		
<i>Uvularia perfoliatum</i> . . . . .	50	3 00	15 00
" <b>sessilifolia</b> . . . . .	50	3 00	
<i>Veratrum viride</i> . . . . .	50	3 00	
<i>Veronica virginica</i> . Clumps . . . . .	50		
<i>Viola canadensis</i> . . . . .	75		
" <b>cucullata</b> . Clumps . . . . .	50	3 00	15 00
"    " <b>nana</b> . . . . .	1 00		
"    " <b>laciniata</b> . . . . .	1 00		
" <b>hastata</b> . . . . .	50		
" <b>palmata</b> . Clumps . . . . .	75		
"    " <b>laciniata</b> . . . . .	1 00		
" <b>pedata</b> . . . . .	75		
" <b>bicolor</b> . . . . .	2 00	15 00	
" <b>rotundifolia</b> . . . . .	50	2 00	
<i>Yucca angustifolia</i> . . . . .	1 00		
" <b>filamentosa</b> . Clumps . . . . .	60	4 00	30 00
"    "    Light . . . . .	40	2 00	15 00
" <b>recurvifolia</b> . Clumps . . . . .	60	4 00	30 00
"    "    Small . . . . .	40	2 00	10 00
<i>Xerophyllum asphodeloides</i> . Col. clumps . . . . .	50	3 50	
<i>Zigadenus leimanthoides</i> . . . . .	1 50	8 00	
" <b>elegans</b> . . . . .	1 00		

## HARDY CACTI.

	Per 10	100
<i>Opuntia arcanaria</i> . . . . .	\$1 00	
" <b>camanchica</b> . . . . .	1 50	
" <b>fragilis</b> . . . . .	1 50	\$10 00
" <b>mesacantha cynoschila</b> . . . . .	1 50	10 00
"    " <b>greenii</b> . . . . .	1 75	
" <b>mesacantha rafinesquii</b> . . . . .	1 50	

	Per 10	100
<i>Opuntia phæacantha major</i> . . . . .	\$1 50	
" <b>polycantha</b> . . . . .	2 00	
"    " <b>watsonii</b> . . . . .	2 00	
"    " <b>albispina</b> . . . . .	2 00	
<i>Echinocereus viridiflorus</i> . . . . .	2 00	

Address

HARLAN P. KELSEY,

TREMONT BUILDING,

BOSTON, MASSACHUSETTS.